


Key Features

- Integrated with myViewBoard software
- Multi-tasking capabilities for enhanced lesson delivery
- Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
- Intuitive user interface and fast app launch for smooth operation
- Powered by Android 11



Product Description

The ViewBoard IFP33 Series harmonises a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colours, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33 Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.



2. USB C
3. HDMI 1
4. TOUCH 1
5. USB 3.0x2
6. OPS Slot
7. RS-232

9. USB 2.0x2
10. TOUCH 2
11. HDMI 2
12. HDMI 3
13. HDMI OUT
14. USB

16. SPDIF
17. AUDIO in
18. AUDIO out
19. VGA
20. Power On/OFF
21. AC IN

23. Sensor Mount

Visit Us

www.viewsonic.com



DISPLAY

| | |
|--------------------|---|
| Panel Size: | 86" |
| Panel Type: | TFT LCD Module with DLED Backlight. IPS |
| Display Area (mm): | 1913.04(H) x 1083.96 (V) |
| Aspect Ratio: | 16:9 |
| Resolution: | UHD 3840x2160(Pixels) |
| Colors: | 1.07B colors |
| Brightness: | 450 nits |
| Contrast Ratio: | 5000:1 (max. with DCR enabled) |
| Response Time: | 8ms |
| Viewing Angles: | H=178, V=178 |
| Backlight Life: | 50,000 Hours (8 hours of use per day) |
| Surface Treatment: | Hardness: 7H Anti-glare coating |
| Orientation: | Landscape |

PLATFORM

| | |
|------------|-------------------------------|
| Processor: | Quad-core ARM Cortex (A55*4) |
| RAM: | 4GB DDR4 |
| Storage: | 32 GB |

TOUCH

| | |
|--------------|-----------------------------|
| Type/ Tech: | Ultra Fine Touch Technology |
| Touch Point: | 40 points touch |

INPUT

| | |
|------------|---|
| HDMI: | HDMI-IN 2.0 x 3 (3840x2160 @60Hz) |
| RGB / VGA: | x1 |
| Audio: | x1 |
| RS232: | x1 |
| OPS: | x1 (Optional Intel Standard OPS) |
| WiFi: | x1 (Optional VB-WIFI-002/VB-WIFI-004/VSB-050) |

OUTPUT

| | |
|--------|-------------|
| HDMI: | HDMI 2.0 x1 |
| Audio: | x1 |
| SPDIF: | x1 |

LAN

| | |
|-------|----|
| RJ45: | x2 |
|-------|----|

USB

| | |
|---------|--|
| Type A: | USB3.0 x4 (Front x2, Rear x2); USB2.0 x1 |
| Type B: | x2 (Front x1, Rear x 1) |
| Type C: | Front*1 (PD65W + DP1.2 + Data USB2.0 + 10M/100M sharing) |

SPEAKERS

| |
|---------|
| 16W x 2 |
|---------|

TOP CAMERA PLATE

| |
|-----|
| Yes |
|-----|

BUNDLE SOFTWARE

| | |
|--|---|
| Basic Annotation Software: | myViewBoard Whiteboard |
| Pro Annotation Software: | myViewBoard for Windows (Embedded in optional Windows Slot-in PC) |
| Wireless Presentation: | myViewBoard Display |
| Wireless Presentation with Touch Feedback: Viewboard Cast: | Yes |

SPECIAL FEATURES

| | |
|--|--|
| All-in-one USB port: | (combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels. |
| Simple LAN sharing between IFP and slot-in device: | 10/100M for Android & Slot-in PC |
| Light Sensor: | Yes |

POWER

| | |
|--------------|-----------------------|
| Voltage: | 100-240V AC |
| Consumption: | On:154W ; Off: ≤ 0.5W |

ERGONOMICS

| | |
|----------------------|---------|
| Wall Mount (VESA®): | 800*600 |
|----------------------|---------|

OPERATING CONDITIONS

| | |
|--------------------|-----------------------------|
| Temperature (° C): | 0°C to 40°C |
| Humidity: | 20% ~ 80% RH non-condensing |

DIMENSIONS (W X H X D)

| | |
|------------------------|---|
| Physical (inch / mm): | 1957 x 1160 x 100 mm / 77 x 45.7 x 3.9 in |
| Packaging (inch / mm): | 2110 x 225 x 1283 mm / 83 x 8.9 x 50.5 in |

WEIGHT

| | |
|------------------|-----------------|
| Net (lb / kg): | 129.1lb/58.55kg |
| Gross (lb / kg): | 167.3lb/75.9kg |

REGULATIONS

| |
|---|
| FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE, BSMI,BIS |
|---|

PACKAGE CONTENTS

| |
|--|
| 1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN-009) 5. Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall mount 4) 10. HDMI cable 3m |
|--|

COMPATIBLE SLOT-IN PC

| |
|--|
| VPC2-O series/VPC2-O-1B series/VPC12-WPO-15/16 |
|--|



EMBEDDED OS

Android 11

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

